

RONGDY

荣迪

国家高新技术企业

RONGDY

荣迪



绍兴荣迪 专业品质

地址：浙江省绍兴市上虞区汤浦镇王汤线58号

Add: No.58, Wangtang, road, Tangpu Town, Shangyu District,
Shaoxing City, Zhejiang Province.

电话(Tel) : +86575-82331988

传真(Fax) : +86575-82333338

E-mail: lianghz@zjrondi.com

Http : //www.zjrondi.com

绍兴市荣迪机械有限公司

SHAOXING RONGDI MECHANICAL CO.,LTD



C 公司简介 COMPANY PROFILE

绍兴市荣迪机械有限公司创立于2011年2月，地址位于浙江省绍兴市上虞区汤浦镇王汤线58号，是一家生产空调、冰箱制冷铜配件的企业，拥有多项发明专利，2018年12月通过国家高新技术企业认定。

公司拥有先进的设备、成熟的技术、科学的管理和精湛的工艺，主要从事生产制作冰箱压缩机工艺管、排气管，空调器U型管、跨管、家用空调管路、中央空调管路、消音器、过滤器、分歧管、T型三通、异形管件、笛形管、锥形管等产品。

绍兴荣迪，专业品质。自成立至今，公司秉持“质量第一、客户至上、以诚会友”的经营宗旨，以求真、务实、合作、高效的企业作风服务于国内外客户，得到了社会各界的好评与认可。

企业愿景：成为全球领先的空调、冰箱制冷配件供应商，持续科研创新，提供高品质，高效率 and 环保的产品为客户创造价值，推动行业发展，为社会进步贡献力量！

Shaoxing Rongdi Machinery Co., Ltd., founded in February 2011, is located at No. 58 Wangtang Road, Tangpu Town, Shangyu District, Shaoxing City, Zhejiang Province. It is an enterprise that produces copper components for air conditioners and refrigerators. The company holds multiple invention patents and was recognized as a national high-tech enterprise in December 2018.

The company possesses advanced equipment, mature technology, scientific management, and exquisite craftsmanship. It mainly engages in the production of various products, including refrigerator compressor process tubes, exhaust pipes, air conditioner U tube, span pipes, air conditioning pipe, silencer, filters, branch pipes, T-type three way pipe, special-shaped pipe fittings, flute tube, tapered tube, and etc.

Shaoxing Rongdi, dedicated to professional quality. Since its establishment, the company has adhered to the business tenet of "quality first, customer foremost, and friendship through sincerity." With a sincere, pragmatic, cooperative, and efficient corporate style, the company serves domestic and international customers, earning praise and recognition from all sectors of society.

Corporate Vision: To become a global leading supplier of air conditioning and refrigerator cooling accessories, continuously engage in scientific research and innovation, provide high-quality, efficient, and environmentally friendly products to create value for customers, promote industry development, and contribute to social progress!



企业精神 Enterprise spirit

挑战未来，追求超越
Challenge the future and pursue transcendence



企业作风 Enterprise style

求真，务实，合作，高效
Truth-seeking, pragmatic, cooperative and efficient



企业价值观 Corporate values

为社会创造财富，使员工实现价值
Create wealth for the society, so that employees realize value



管理理念 Management concept

人性化管理，市场化运作
Humanized management, market-oriented operation



经营理念 Business philosophy

诚实守信，抢占先机，竞合双赢
Honest and trustworthy, seize the opportunity, competition and win-win



产品理念 Product concept


挖掘需求，创造特色，品质卓越
Mining demand, create characteristics, excellent quality

冰箱压缩机类接管、工艺管、排气管（紫铜类、铁管类）

Class over, refrigerator compressor process pipe, exhaust pipe (copper, iron tube)



U型管 U-Bend



技术参数 Tech-date

序号 No.	D	B	L	L1	R
1	5	13.1	17	4	6.55
2	5	17	17	4	8.5
3	7	12.5	19.8	10	6.25
4	7	13	17	10	6.5
5	7	14	22.5	12	7
6	7	15	20	9	7.5
7	7	15.1	18	7	7.55
8	7	15.4	19.2	8	7.72
9	7	15.95	20	8.5	8
10	7	16	17.5	6	8
11	7	16.1	21	9.4	8.05
12	7	16.3	20.6	9	8.15
13	7	16.48	21	9.26	8.24
14	7	16.5	18	8	8.25
15	7	16.9	19	5	8.45
16	7	17	19	7	8.5
17	7	17.18	21	7	8.59
18	7	17.2	21	9	8.6
19	7	17.6	20.2	8	8.8
20	7	18	20.5	8	9
21	7	18.5	19	7	9.25
22	7	19.2	19.1	6	9.6
23	7	19.9	20.5	6	9.95
24	7	20	20.5	7	10
25	7	20.4	32.7	19	20.4
26	7	20.7	19.8	6	10.4
27	7	21	20	6	10.5
28	7	21.8	19.5	6	10.9
29	7	23	33.5	8.5	11.5
30	7	23.9	24.5	9	12
31	7	24	23.5	8	12
32	7	25	22.5	6	12.5
33	7	25.4	20	4	12.7
34	7	25.5	22.3	6	12.8
35	7	25.6	23.3	7	12.8

序号 No.	D	B	L	L1	R
36	7	26	23.5	7	13
37	7	26.7	23	6	13.4
38	7	27	22	4	13.5
39	7	27.2	26.3	9.2	13.6
40	7	27.6	23.5	6	13.8
41	7	27.7	22.5	5	13.9
42	7	28.8	22.9	5	14.4
43	7	30.5	23.5	5	15.3
44	7	31	27	8	15.5
45	7	31.8	28	8	15.9
46	7	34.1	26	5.5	17.1
47	7	39.5	33.5	9	19.8
48	7	49.1	35	7	24.6
49	8	20.3	23	8	10.2
50	8	20.4	22	7	10.2
51	8	21	22	5	10.5
52	8	25.4	22	5.3	12.7
53	8	35.2	30	6.5	17.6
54	9.5	22.9	24	8	11.5
55	9.5	50	36	18	12.5
56	9.52	22.9	22.8	7	11.4
57	9.52	25.4	23.8	6.5	12.7
58	9.52	42.6	36.8	11	21.3
59	9.52	43.3	40.8	10	21.7
60	9.52	45.8	38	10	22.9
61	9.52	75	30	10	15
62	9.53	25	27	9	12.5
63	12	60	56	20	30
64	12.7	31.8	30.2	8	15.9
65	12.7	32	30	7	16
66	12.7	38.1	55.5	13.5	19.1
67	16	23.8	39	10	11.9
68	16	38.1	34	7	19.1
69	16	48	40	8	24
70	19	75	47	5	37.5

跨度管 C-Bend




技术参数 Tech-date

序号 No.	D	B	L	L1	R
1	5	43.7	26	8	10
2	7	17	23.5	8	10
3	7	22.5	37	10	7
4	7	25	23.5	8	10
5	7	28.8	19	5	10
6	7	29	23.5	10	10
7	7	29.8	28	14	10.5
8	7	30	43.5	10	10
9	7	32.5	26	12	10.5
10	7	33	33	19.5	10
11	7	33.6	21	7	10.5
12	7	33.7	20	6	10.5
13	7	34	27.5	10	12.5
14	7	34.2	19	5	10
15	7	34.5	22.5	9	9.53
16	7	36.4	30	7	10
17	7	36.6	25	10	10
18	7	37	23.5	10	10
19	7	37.1	25.5	6	10
20	7	42	29	13	12.5
21	7	45	23.5	8	10
22	7	54	33.5	20	10
23	7	54.2	24.5	5	12.5
24	7	55.6	29	8	10

序号 No.	D	B	L	L1	R
25	7	61.5	26.5	13	10
26	7	63	43.5	24	12.5
27	8	40	25	10	10.5
28	8	43.3	23.5	10	10
29	9.52	35.5	35	10	12.5
30	9.52	41	25	10	12.5
31	9.52	42	36	18	13
32	9.52	42.6	37	22	9.5
33	9.52	43.3	27.5	10	12.5
34	9.52	44	37	5	12.7
35	9.52	45.8	25.4	7	12.7
36	9.52	50	25	12	12.5
37	9.52	50.8	26	8	12.7
38	9.52	67.2	41	20	13
39	9.52	75	27.5	10	12.5
40	9.52	76.2	27.5	10	12.7
41	9.52	114.6	40	10	12.5
42	9.52	116.4	38.5	10	12.7
43	12.7	56	40	20	20
44	15.9	80	36	8.06	20
45	15.9	100	41	13.1	20
46	16	77	46	10	25
47	19.1	130	56	16.5	30

过滤器系列 Strainer series

本公司可为客户提供各种规格的过滤器,并可按客户要求设计、制作。
The company can provide customers with all kinds of Strainer design, production and customer requirements.





技术参数 Tech-date

序号 No.	D	D1	D2	D3	L	序号 No.	D	D1	D2	D3	L
1	14	3.2	6.5		50-75	10	19	8.2		3-3.4	60-100
2	16	3.2	6.2		50-75	11	21	3.2	9.7		70-100
3	19	3.2	6.5		50-75	12	21	6.5	12.9		70-100
4	19	3.4	8.2		50-75	13	21	9.7	12.9		70-100
5	19	3.4	9.7		50-75	14	25	6.5	2-4.2		60-100
6	19	6.2	9.7		50-75	15	25	6.5	9.7		60-100
7	19	3.2	8.2	6.1	60-80	16	25	6.5		3-3.4	60-100
8	19	3.4	9.7	6.5	60-80	17	32	12.7	12.7		80-100
9	19	6.5		3-3.2	60-100	18	45	16.2	16.2		80-100

分歧管系列 Manifold series


本公司可为客户提供各种机型的室内外机连接弯管、各类集气管及集气管焊接组件,并可根据客户要求来设计、制作。
The company can provide customers with various types indoor and outdoor machine connection pipe, all kinds of gas collecting pipe and pipe welding assembly, and according to customer requirements to design, production.



技术参数 Tech-date

序号 No.	L	D	D1	D2	C	序号 No.	L	D	D1	D2	C
1	32-55	6.4	6.4		10	10	32-60	12.7	9.7		14
2	32-55	7.1	7.1		10	11	32-60	12.1	12.1	6.2	14
3	32-60	9.7	6.4		10	12	32-60	12.1	8.1		12
4	32-60	9.7	7.1		10	13	40-70	12.7	8.1		12
5	32-60	9.7	8.1		9	14	40-70	16.1	9.7		14
6	32-60	9.7	9.7	6.2	14	15	40-70	16.1	12.7		18
7	32-60	9.7	9.7	4.1	12	16	50-80	19.1	12.7		18
8	32-60	9.7	9.7		14	17	50-80	22.3	16.1		21
9	32-60	12.1	9.7		14	18	50-80	25.5	19.1		25


消音器 Muffler



技术参数 Tech-date

序号 No.	D	D1	D2	L	L1	L2
1	16	9.7	9.7	10	10	70
2	19.05	8.2	8.2	8	8	55
3	19.8	8.3	8.3	10	10	90
4	25	6.5	6.5	12	12	100
5	25.4	6.5	6.5	10	10	93
6	28	8.2	8.2	7	7	114
7	28.6	9.7	9.7	10	10	90
8	31.8	9.7	9.7	10	10	100
9	32	9.7	9.7	10	10	80
10	35	12.8	12.8	10	10	180
11	50	12.9	12.9	10	10	120
12	50.8	9.65	9.65	10	10	210

过滤器系列 Strainer series



技术参数 Tech-date


序号 No.	D	D1	D2	L	L1
1	25	12.8	12.2	180	85
2	25.4	9.7	8.7	125	65
3	43	28	27	150	85
4	50.8	32	31.2	230	140

T型等径三通 T type three




技术参数 Tech-date

序号 No.	D	L	M	M1	H
1	6.1	40	7	7	20
2	6.45	40	7	7	20
3	8.15	39	8	8	19
4	9.62	36	8	8	18
5	10.2	32	8	8	16
6	12.15	55	10	10	20
7	12.9	38	10	10	19
8	16.2	49	11.5	10.5	25
9	76.4	172	30	30	86
10	10.1	30	7.8	7.8	16



技术参数 Tech-date

序号 No.	D	L	M	M1	H
11	15.1	39.7	10.6	10.6	20.5
12	22.15	56.7	15.4	15.4	29.3
13	28.15	69	18.4	18.4	36.5
14	35.2	85	23	23	46.2
15	42.2	100	27	27	53.5
16	54.2	121	32	32	64.5
		145	32	32	79
		160	33.5	33.5	86.9
		221	47.5	47.5	124



三通管 Three Way Pipe



技术参数 Tech-date

序号 No.	D	B	D1	L	L1	L2	R
1	6.35	20	9.72	50	10	15	10
2	6.35	21	6.4	34	8	6	10.5
3	6.35	22	6.46	28.5	6	6	11
4	7	15.86	7	37	3	8	7.93
5	7	16.48	9.7	31.5	8	8	8.24
6	7	19	8.1	35	8	8	9.5
7	7	19.1	7.15	33	9	8	9.55
8	7	20	7.2	44.7	6	8	10
9	7	20.4	7	35	8	5.5	10.2
10	7	20.5	6.1	32	7	8	10.3
11	7	21	7.15	35	8	6	10.5
12	7	25	6.4	32	8	10	12.5
13	7	48.5	8.2	38.5	4	8	15
14	7	53	7.2	38.5	6	10	15
15	7	20.4	7.15	25.5	6	5.3	10.2
16	7	18.8	9.7	38	8	8	9.4
17	7	20	9.7	32	8	7.5	10

技术参数 Tech-date

序号 No.	D	B	D1	L	L1	L2	L3	R
1	6.35	22	6.46	30	11.5	6	19	11
2	7	15.45	8.2	23.7	18	10	16	7.7
3	7	16.48	7.15	28	18	7	6	8.24
4	7	16.5	6.1	21.5	6.5	3	10	8.25
5	7	17.6	9.65	18.8	20	10	10	8.8
6	7	19	6.5	26	21	10	10	9.5
7	7	19.1	7.2	24.5	13.5	7	10	9.5
8	7	20	8.2	20	13.5	10	10	10
9	7	21	7.15	32.5	5.5	2	8	10.5
10	7	22.2	6.25	27.5	13	5	10	10.6
11	7	22.7	7.15	26	7.5	34	8	11.4
12	7	24.7	7.2	38	13.5	7	10	12.4
13	7	57.2	8.2	30.5	12	8	8	15

技术参数 Tech-date

序号 No.	D	B	D1	D2	L	L1	L2	R
1	7	20	6.35	8.2	40	10	10	10
2	8	19.1	7	9.7	44	8	10	9.55
3	8	20	7	9.7	44	8	10	10
4	8	21	7	9.7	36	8	8	10.5
5	8	25	7.39	9.72	60	10	10	12.5
6	8	52.2	7	8.15	37.6	12	12	10
7	8	52.7	7	8.15	37	8	8	10
8	8	53.8	8.1	6.8	38	12	12	10
9	9.5	16.7	7	12.7	34.5	8	8	8.35
10	9.5	21.6	7	9.6	34.5	8	8	10.8
11	9.5	22.9	7.94	9.65	33	8	8	11.5
12	9.5	25	9.05	9.66	48	16	16	12.5
13	9.5	25.4	8.8	9.7	49	9.5	9.5	12.7


中央空调管路 Central air conditioning pipeline

本公司可为客户提供各种规格的管件、并可按客户要求设计、制作。
The company can provide customers with all kinds of Pipe fitting design, production and customer requirements.



Household air conditioning line


本公司可为客户提供各种规格的管件、并可按客户要求设计、制作。
The company can provide customers with all kinds of Pipe fitting design, production and customer requirements.



异形管件、笛形管、渐缩管

Shaped tube, pipe shaped tube, tapered pipe







Partial end customer 部分终端客户

